First & Final bill

Recorded on:-

Works Code:-002-21-000014

M. A. R. 57 (Rule 116) No. E Date 17/09/2021

Measurement Book

Work order No:-BBMP/EE/YNK.D/EPMT-01/W.O/53/2021-22, 586354

Serial No. .....

Name of work Construction of Saptodaya Bhavan at Puttenahalli Colony in Shreedevi ward Ward No-62.

Name of Contractor of nature of Agency Sri H.S. Palakshaiah murthy, No-703, 6th main Road, 4th Cross Near Gandhi Park, Vijayanagara, Bangalore-560040.

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	① KSRRB m200-15.2. Dismantling of existing structures like culverts bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work including T&P and scaffolding wherever necessary complete as per specification.						
	Quantity vide E-Bill:- 4.32 cm						
	@ Rs. 275.00						1188.00
	② KSRRB m300 - Construction of embankment with material Gravel/murrum KSRRB m300.53 Construction of embankment with approved material Gravel/murrum with all lifts and leads transporting to site, Spreading, grading to required slope and Compacting						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	to meet requirement Table 300-2 Complete as per Specifications.						
	Quantity vide E-Bill:- 58.00 m^3						
	@Rs. 300.00						17,399.00
	(3) KSRB 2-2.2: Earth works excavation for foundation of buildings water supply, Sanitary lines and electrical Conduits either in pits or in trenches 1.5m and above in width, in hard & not exceeding 1.5m in depth including dressing the bottom sides of pits and trenches etc as per Specifications.						
	A) up to 125 % of quantity.						
	Quantity vide E-Bill:- 108.40 m^3						
	@Rs. 466.57						50,570.00
	B) Above 125% of Quantity.						

Serial No. .....
Name of work
Name of Contr
Date of comme

Date	F
1	
	(4) KSR brou ding rials ficat

M. A. R. 57 (Rule 116) No. E

Measurement Book

Serial No. 586355

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill:-				24.37 m^3	12391.00
		@Rs. 508.44					
	(4) KSRB 2.8: Providing and filling in foundation with granite/trap broken metal 10mm and down size, with approved Sand including hand packing, ramming, watering including cost of all mate rials and labour with all lead and lift complete as per Speci fications.						
		Quantity vide E-Bill:-				8.57 m^3	13495.00
		@Rs. 1575.00					

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(5) KSRB 4-1.3: Providing and laying in position plain Cement Concrete of mix 1:4:8 (m7.5) with opc Cement @ 180 Kgs, with 40mm and down Size graded granite metal Coarse aggregate @0.85 cum and fine aggregates @0.57 cum machine mixed etc as per Specifications.						
	A) up to 125% of quantity						
			Quantity vide E-Bill:- 15.46 m³				
						CRS. 2700.00	41,749.00
	B) Above 125% of quantity.						
			Quantity vide E-Bill:- 12.95 m³				
						CRS. 6200.10	80,280.00
	(6) Providing and laying in position plain Cement Concrete						

Serial No. .....
Name of work .....
Name of Contractor
Date of commencer

Date	Full des
1	
	M15 w metal machin Compact A) up to B) Abov

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

Serial No. 586356

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	M15 with Cement @ 240 kgs with 20mm and down size graded granite metal Coarse aggregates @ 0.878 Cum and fine aggregates @ 0.53 Cum, machine mixed, Concrete laid in layers not exceeding 150mms Thick, well Compacted, in foundation etc as per Specifications.						
	A) up to 125% of Quantity.						
	Quantity vide E-Bill:-					13.46 m^3	
	@ Rs. 2200.00						29,618.00
	B) Above 125% of Quantity.						
	Quantity vide E-Bill:-					5.65 m^3	
	@ Rs. 6703.36						37851.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(7) KSRB 5-2-3: Providing and Constructing granite / trap/ basalt Rub... stone masonry in foundation Cement mortar 1:6 Stone hammer dressed in Courses not less than 20 cms high, bond stones at ... apart in each course including cost of materials, labour, Cartage Complete as per Specifications.						
	A) up to 125% of Quantity.						
						Quantity vide E-Bill: 16.7 m^3 @Rs 2800.00	46,865.00
	B) Above 125% of Quantity.						
						Quantity vide E-Bill: 11.76 m^3 @Rs. 5204.42	61,201.00
	(8) KSRB 2.3: Filling available excavated earth (excluding rock)						

Serial No. .....
Name of work .....
Name of Contractor of ...
Date of commencement ...

Date	Full descript...
1	2
	Sides of ... Compacting ... lead up ... Complete as ... A) up to 12...
	B) Above 12...

M. A. R. 57 (Rule 116) No. E
Measurement Book

586357

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Sides of foundations up to plinth in layers not exceeding 200mm in depth Compacting each deposited layer by ramming after watering with lead up to 50 mtr. and lift up to 1.5 mtr including cost of all labour Complete as per Specifications.						
	A) up to 125% of quantity. Quantity vide E-Bill:-					24.41 m^3 @ Rs. 208.84	5098.00
	B) Above 125% of quantity. Quantity vide E-Bill:-					53.70 m^3 @ Rs. 227.61	12,224.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(9) Conveying the excavated earth, debrics etc. with all lead and lift including loading and unloading charges etc complete as per Specifications.						
	Quantity vide E-Bill:-				58.39	m^3	
	@Rs. 93.51					5460.00	
	(10) KSRB 4-6.1: Providing and removing centering, shuttering, strutting, propping etc.. and removal of forms work for foundations footings, bases of columns for mass Concrete including cost of all materials, labour Complete as per Specifications.						
	Quantity vide E-Bill:-				39.60	m^2	
	@Rs 268.06					10,615.18	
	(11) KSRB 4-6.4: Providing and removing centering, shuttering						

Kalimuthu

Serial No. .....
Name of work .....
Name of Contractor o
Date of commenceme

Date	Full descri
1	
	Struttr Surface Pilaste materia
(12)	KSRB 4 Struttr Columns

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

586358

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	strutting. propping etc and removal of formwork for vertical surface such as walls of any Thickness including attached pilasters, buttresses, plinth and string courses cost of all materials, labour complete as per Specifications.						
	Quantity vide E-Bill:-	38.88				m^2	
	@Rs. 371.96						14461.80
(12)	KSRB 4-6.5: Providing and removing centering, shuttering, strutting. propping etc and Removal of formwork for columns, pillars, piers, post and struts, Square/rectangular						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	polygon in plain including cost of all materials, labour Complete as per Specifications.						
						Quantity vide E-Bill:- 94.62 m²	
						CRS 473.78	44,829.00
Kalisms (13)	KSRB 4-6.2: Providing and removing centering shuttering, struc- -ting. propping etc and removal of formwork for Suspended floors, landings, balconies and likes Thickness up to 200mm including Cost of all materials labour Complete as per Specifications.						
						Quantity vide E-Bill:- 81.89 m²	
						CRS 415.60	34,032.45
(14)	KSRB 4-6.9: Providing and removing Centering. shuttering,						

Serial No. .....
Name of work ...
Name of Contra
Date of commer

Date	Full
1	
	propp all r
(15)	KSRB propp of be Conte

M. A. R. 57 (Rule 116) No. E

Measurement Book

586359

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	propping etc, for edges of slabs and breaks in floors including cost of all materials, labour complete as per Specifications. Quantity vide E-Bill:- 7.44 m² @Rs. 784.45						5836.00
(15)	KSRB 4-6.7: Providing and removing propping etc. and removal of formwork of beams, bearers housings, Cantilever girders, breastsummers and lintels not exceeding 1m in depth etc as per Specifications. Quantity vide E-Bill:- 50.85 m² @Rs 418.72						21,291.91

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(16) KSRB 4-6.11: Providing and removing Centering, Shuttering, Strutting, propping etc. and removal of formwork for Stairs (excluding landing) except Spiral Staircase including Cost of all materials, labour Complete as per Specifications.						
	Quantity vide E-Bill:- 9.42 m²						
	@Rs. 540.28						5089.44
Kalamb	(17) KSRB 4-6.10: Providing and removing Centering, Shuttering, Strutting, propping etc. for chajjas, Corbels etc including edges including Cost of all materials, labour Complete as per Specifications						
	Quantity vide E-Bill:- 3.12 m²						
	@Rs. 325.60						1015.87

Serial No. .....
Name of work .....
Name of Contractor
Date of commencem

Date	Full desc
1	
(18)	KSRB 4 Concrete and do and fin ing to is Cations.
(19)	KSRB 4. Concrete and dou

M. A. R. 57 (Rule 116) No. E 586360
Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(18)	KSRB 4.2.1: Providing and laying in position reinforced cement Concrete of design mix m25 with opc Cement @ 340 Kgs, with 20mm and down Size graded granite metal Coarse aggregates @0.78 Cum and fine aggregates @0.47 Cum, with Super plasticizers @ 3 litres Confirming to IS 9103 - 1999 reaffirmed 2008 of machine mixed check per Specifications.						
	Quantity vide E-Bill:- $36.56 m^3$ @ Rs. 3030.00						110777.00
(19)	KSRB 4.2.8: Providing and laying in position reinforced cement Concrete of design mix m25 with opc Cement @ 340 Kgs, with 20mm and down Size graded granite metal Coarse aggregates @0.78cum						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and fine aggregates @ 0.47 cum with Superplasticiser @ 1% by weight of cement conforming to IS 9103-1999 Reaffirmed - 2008 etc as per Specifications.						
						Quantity vide E-Bill:- 5.75 m^3 @ Rs. 5000.50	28,768.00
Kalmix	(20) KSRB 4.2.8: Providing and laying in position reinforced Cement Concrete of design mix M25 with opc cement @ 340 kg, with 20mm and down size graded granite metal coarse aggregates @ 0.70 cum and fine aggregates @ 0.47 cum etc as per Specifications.						
						Quantity vide E-Bill:- 6.12 m^3 @ Rs. 6280.76	38,408.00
	(21) Providing and laying Cement Concrete using 20mm and						

Serial No. .....
Name of work ...
Name of Contrac
Date of commen

Date	Full
1	
	down mixe and tion.
(22)	KSRB Con Gef 12mm 65 cum

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

586361

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	down Size granite Coarse aggregates and fine aggregates of ready mixed Concrete (RMC) for R.C.C. works laid in 15cms thick layers and well Compacted including vibrating curing etc as per Specifica tion. Quantity vide E-Bill :- 18.57 m³ @Rs. 6121.79						113695.00
(22)	KSRB 4.2.11 : Providing and laying in position reinforced cement Concrete of design mix m20 with opc cement @ 27.20 Kgs, with 12mm and down Size graded granite metal Coarse aggregates @0.58 cum and fine aggregates @0.391 cum, etc as per Specifications.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill:- 2.43 m^2					
		@Rs. 515.34				1252.28	
	(23) KSRB 4.2.11: Providing and laying in position reinforced cement concrete of design mix M20 with opc cement @ 27.20 Kg. with 12mm and down size graded granite metal coarse aggregate @ 0.5865 cum and fine aggregates @ 0.391 cum each per specification.						
		Quantity vide E-Bill:- 0.00 m^2					
		@Rs. 515.34				0.00	
	(24) KSRB 4.9.2: Providing TMT bars Fe 500 steel reinforcement for RCC work including straightening cutting bending, hooking, placing in position, lapping and/or welding wherever required						

Serial No. ...
Name of wor
Name of Con
Date of comm

Date	
1	
	tying ver
(25)	KSR wor Posit Cont.

M. A. R. 57 (Rule 116) No. E

Measurement Book

586362

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	tying with binding wire and anchoring to the adjoining members where ver necessary Complete as per design details per Specifications. Quantity vide E-Bill:- 5.69 Tonnes @Rs. 58000.00					330140.00	
	(25) KSRE 4.9.2: Providing Tor bars Fe500 steel reinforcement for Rcc work including straightening cutting bending, hooking, placing in Position, lapping and/or welding wherever required details per Specifications. Quantity vide E-Bill:- 2.50 Tonnes @Rs. 47000.00					117298.18	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(26) KSRB 5.14.1: Providing and Constructing load bearing wall with Solid Concrete blocks of Size 400x200x200mm having block density not less than 1800 Kg/m³ having a minimum average Compressive strength 5.00 N/mm² Confirming to IS 2185 (part 1): 2005 deas per specifications. Quantity vide E-Bill:- 78.84 m² CRS 947.57						74,702.00
	(27) KSRB 5.14.1: Providing and Constructing load bearing wall with Solid Concrete blocks of Size 400x200x200mm having block density not less than 1800 Kg/m³ having a minimum average Compressive strength 5.00 N/mm² Confirming to IS 2185 (part 1): 2005 deas per Specifications.						

Kalpana

M. A. R. 57 (Rule 116) No. E

Measurement Book

Serial No. .....

586363

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill :-				74.56 m^2 @Rs. 947.57	70,651.00
28	KSR ¤ 5.14.1: Providing and Constructing load bearing wall with solid Concrete blocks of size 400 x 150 x 200mm having block density not less than 1800 kg/m^3 having a minimum average Compressive Strength 5.00 N/mm^2 Confirming to IS 2185 (Part-1):2005 etc as per Specification.						
		Quantity vide E-Bill:-				57.42 m^2 @Rs. 1079.16	61,965.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(29)	KSRB 15-3.8: Providing 18mm Thick Cement plaster in Single Coat with Cement mortar 1:4 to brick masonry including round -ing off Corners wherever required Smooth rendering etc as per Specifications.						
		Quantity vide E-Bill:-				114.01 m^2 CRS. 271.18	30,917.23
(30)	KSRB 15-3.9: Providing 18mm Thick Cement plaster in Single Coat with Cement mortar 1:6 to brick masonary including rounding off Corners wherever required Smooth rendering etc as per Specifications.						
		Quantity vide E-Bill:-				119.16 m^2 CRS. 277.43	33,058.56

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

586364

erial No. .....

ame of work ..... From ..... To .....

ame of Contractor of nature of Agency.....

ate of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(31)	KSRB 15-3.8: Providing 18mm Thick Cement plaster in Single Coat with Cement mortar 1:4, to brick masonry including rounding off Corners wherever required & smooth rendering etc as per Specifications. Quantity vide E-Bill:- 100.70 m² @ R.S. 271.18					27,307.83	
(32)	KSRB 15-3.2: Providing 12mm Thick Cement plaster in Single Coat with Cement mortar 1:4, to brick masonry including rounding off Corners wherever required & smooth rendering etc as per Specifica-tions.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			Quantity vide E-Bill:- 104.71 m^2			CRS. 233.78	24,478.52
	(33) KSRB 15.3.2: Providing 12mm thick cement plaster in single coat with cement mortar 1:4, to brick/masonry including rounding off corners wherever required smooth under finishing etc as per Specifications.						
			Quantity vide E-Bill:- 64.48 m^2			CRS 233.78	15074.13
	(34) KSRB 15-3-14: Providing 12mm thick Cement plaster in single coat with cement mortar 1:4 to ceiling including rounding off corners wherever required smooth rendering etc as per						

Serial No. .....
Name of work
Name of Contr
Date of comme

Date	Fu
1	
	Spec
(35)	Prov
	Ceilin
	steel
	cent

M. A. R. 57 (Rule 116) No. E

Measurement Book

586365

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Specifications.						
	Quantity vide E-Bill :-					102.10 m²	23,868.94
	CRS. 233.78						
	(35) Providing applying two coats of wall putty to inside plastered walls and ceiling using white cement putty & scrapped and levelling the surface using steel blade and preparing the surface even and smooth by using different grade Sand papers etc as per Specifications.						
	Quantity vide E-Bill :-					260.81 m²	21136.04
	CRS. 81.04						

M. A. R. 57 (Rule 116) No. E

Measurement Book

586368

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Cement slurry etc as per Specifications.						
	A) up to 125% of Quantity.	Quantity vide E-Bill :-				60.05 m²	18915.75
					CRS.	315.00	
	B) Above 125% of Quantity:-						
		Quantity vide E-Bill :-				8.35 m²	4974.00
					CRS.	595.63	
(45)	KSRB 9-27.1: Fixing of door frames in an existing opening including embedding frame in floor and walls after cutting masonry for holdfasts for embedding holdfastin cement concrete 1:2:4 of 20mm and down size granite metal painting two coats of coal tar to sides of frame etc as per Specifications.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill: - 1.00 NO				850.00	
		CRS. 850.00					
(46)	KSRB 9-27.1: Fixing of door frames in an existing opening including embedding frame in floor and walls after cutting masonry for hold forts for embedding hold fast in cement Concrete 1:3:6 of 20mm and down size granite metal painting in two coats of coal tar to sides of frame etc as per Specifications.						
		Quantity vide E-Bill: - 1.00 NO				1100.25	
		CRS. 1100.25					
(47)	KSRB 9.4-2: Providing Honne wood frames of doors, windows, cloth-ing windows, ventilators and other frames, wrought, framed and assembled including forming grooves etc as per Specifica						

Serial No. .....
Name of work ..
Name of Contra
Date of commen

Date	Full
1	
(48)	KSRB window ding
(49)	KSRB 9.5 & butter walls

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

586369

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill:-				0.22 m³	11232.00
						CRS. 52000.00	
(48)	KSR 9.4-2: Providing Horne wood frames of doors windows, clerestory windows, ventilators and other frames, wrought, framed or assembled including making plaster grooves etc as per Specification.						
		Quantity vide E-Bill:-				0.06 m³	3758.40
						CRS. 58000.00	
(49)	KSR 9.5.2: Providing and fixing in position fully panelled Horne wood shutters for doors, styles and rails of 40mm. Thick with bottom and lock rails 180mm wide top rail and styles 100mm wide as per drawing & panels						

M. A. R. 57 (Rule 116) No. E 586371

Measurement Book

Serial No. ..... From ..... To .....

Name of work .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	(54) KSRB 15-18.2: Providing and applying enamel paint two coats (excluding priming coat) over new steel or other metal surface brushing to give an even shade after cleaning oil, grease, dirt and other foreign matter including cost of materials, labour complete as per specifications. Quantity vide E-Bill :- 44.35 m² CRS. 98.71						4378.00
	(55) Providing and fixing to wall, ceiling and floor, low density polythylene pipes C.to 1kg/ sq. cm working pressure 110mm outside diameter with special flange, etc as per specifications. Quantity vide E-Bill :- 14.40 mtr CRS. 509.57						7337.81

M. A. R. 57 (Rule 116) No. E

Measurement Book

586374

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(66) Point wiring using Copper wire without Switch Supplying and wiring adopting loop System in existing pvc Conduit / casing capping using 2×1.5Sqmm (phase & Neutral) & 1×1.0 Sqmm (Earth wire) etc as per Specifications. (Shortpoint up to 3mm) Quantity vide E-Bill :- 4.00 Nos @Rs. 209.70						838.80
	(67) point wiring using Copper wire without switch Supplying and wiring adopting loop System in existing pvc conduit / casing capping using 2×1.5 Sqmm (phase & Neutral) & 1×1.0 Sqmm (Earth wire) etc as per Specifications. (medium point Above 3mm - 6mm)						

M. A. R. 57 (Rule 116) No. E
Measurement Book

586379

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	to the required ground level and consolidating c/c. Complete. Quantity vide E-Bill:- 18.00 cmts @ Rs. 222.28						4001.04
	(88) Supplying and fixing miniature Circuit breakers on existing C&S distribution boards using necessary mounting materials and wiring complete as per I-d-red.2 Group A. Quantity vide E-Bill:- 2.00 nos @ Rs. 1146.01						2292.02
	(89) Supplying and fixing of class A (medium duty) GI pipe of wall thickness not less than 3.25mm on pole/wall/drain crossing with necessary clamping arrangements for VB Cable of 1.1KV class. Quantity vide E-Bill:- 4.01 nos @ Rs 16.73						66.92

M. A. R. 57 (Rule 116) No. E
Measurement Book

586380

Serial No. ..... From ..... To .....
Name of work .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
95	Fixing one exhaust fan with nuts and 5 Amps. ceiling rose with insulated twin Core wire.	in the	pitch	already	left in the wall with bolts and sufficient length of 23/0.0076 inch PVC		
		Quantity vide E-Bill :-				1.00 NO @Rs. 431.98	431.98
94	Supplying and running Cast Aluminium round or oblong type but head fitting with GI wire guard, glass cover with 15 watts 230 V CFL Lamp.						
		Quantity vide E-Bill :-				2.00 Nos @Rs. 998.17	1996.34
96	Supply of recess mounted rolling type LED Square or round Down light 12 watts with 4/6 w GU 10 LED lamp Rib fabricated from Die Cast aluminium with white powder Coated required to mount Connectrocks as per Specifica tion.						

M. A. R. 57 (Rule 116) No. E 586381
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(98) Fixing all types and as Capacities fluorescent/false ceiling/spot light/CFL Fitting indoor on the exist/Ceiling/rafters/girders using 23/0.0076 twin twisted pvc insulated wire etc as per Specifications. Quantity vide E-Bill)-				4.00 NOS		411.00
					CRS. 102.75		
					Total RS:-		2772,776.04
					Add 12% of GST RS:-		332,733.12
					Grand Total RS:-		31,05,509.16

Payment paid
Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore
8/12/2022

AE-21/12/22

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CERTIFICATE:-						
	1) Certified that the above coork done is Satisfactory Completed						
	2) Certified that the debries have been cleared to site.						
	Asst. Engineer 21/12/24						
	Ranerajeand Asst. Executive Engineer Yelahanka Sub. Division (BBMP Ynk. Zn) Yelahanka, Bangalore 21/12/2022						

Serial No. .....
Name of work ..
Name of Contr
Date of comme

Date	Fu
1	
	Projec Roofw

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

586382

l No. .....

e of work ..... From ..... To .....

e of Contractor of nature of Agency.....

e of commencement of work.....

te	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8



PUTTENAHALLI SAMUDAYA BHAVANA

Executive Engineer
Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	~~Job code = 002-21-000017~~ I^r & Final					SDR00-54 | 28-12-2022	

Gross Amt =Rs 3105000=00

FSD = Rs 84000=00

CC[illegible] = Rs 27728=00

S[illegible] 27728=00

IT 31056=00

LC 31050=00

3101=

CBF 7025=00

Fine Royalty = Rs 24600=00

T.D. = Rs 236286=00

Net Amt=Rs 2868714=00

Audited & Admitted for Rs. 3105000=00

2868714=00 by Cheque

and Rs. 236286=00 by adjustment

Accts. Super
yelahanka Division
BBMP
20/12/23

Exe. Engineer
yelahanka Division
BBMP

Serial No. .....
Name of work .....
Name of Contract
Date of commenc

Date	Full d
1	